

Behavioral Health Needs Assessment: A Resource To Support the Annual Facility-Wide Assessment



CENTER OF EXCELLENCE FOR BEHAVIORAL HEALTH IN NURSING FACILITIES

Introduction

As you use this assessment, please take note that behavioral health refers to both mental illness and substance use conditions.

Purpose

The Behavioral Health Needs Assessment created by the Center of Excellence for Behavioral Health In Nursing Facilities (COE-NF) can be used as a resource for the required annual facility-wide assessment. The assessment was designed to help facilities process strategies to bridge behavioral health gaps identified in the required annual facility-wide assessment. Nursing facilities are required to conduct, document, and annually review a facility-wide assessment, which includes both the resident population and the resources the facility needs to care for residents.

Current guidance from the Centers for Medicare and Medicaid Services <u>State Operations Manual Appendix PP</u> Preferences assessment of residents' behavioral health needs and staff training and skills within the required annual facility-wide assessment.

This behavioral health needs assessment provides a structured framework to further assess the unique behavioral health needs of the facility identified in the required annual facility-wide assessment. This assessment will help identify training, staffing and resources needed to provide the necessary person-centered care that will promote safety and wellbeing of all residents.

The behavioral health needs assessment is **not** a requirement; however, it can be used as a tool to support the requirement.

Benefits

Due to the high prevalence of mental illness and substance use disorders in the United States, the likelihood that a resident with a behavioral health disorder will be admitted into a nursing facility is high. Behavioral health disorders, including anxiety, depression, bipolar disorder, opioid use disorders, and schizophrenia, affect a significant portion of the general population.

The behavioral health needs assessment provides:

- A systematic way of identifying the current behavioral health and treatment gaps for residents with behavioral health conditions.
- Assistance with meeting the requirement for the behavioral health component of the facility-wide assessment that must be completed at least annually.
- A pathway for creating an environment that prioritizes and recognizes that behavioral health is essential to physical health and functional outcomes.
- Key information to help elevate the facilities' behavioral health care, treatment and services provided to residents.
- Actionable processes for planning, staffing, training, and engaging with community partnerships.

In addition to the above, the assessment results can be used for Quality Assurance and Performance Improvement (QAPI) within the nursing facility that require behavioral health services improvement.

Overview of the COE-NF Behavioral Health Needs Assessment

There are four vital steps to the behavioral health assessment:



Nursing facilities that take a proactive approach to behavioral health can provide tailored interventions, supports, and treatment that leads to improved behavioral health and overall well-being for residents. We encourage nursing facilities to use the assessment as they examine their own needs in the context of mental health and substance use services.

Contact the COE-NF for customized training and technical assistance on how to complete the assessment and schedule technical assistance and/or training to address any gaps identified in the assessment. Click here to submit a request for assistance: https://nursinghomebehavioralhealth.org/request-assistance/

Disclaimer: Use of this assessment is not mandated by the Centers for Medicare and Medicaid Services, nor does it ensure regulatory compliance.





Behavioral Health Needs Assessment

Facility Name:	Date:
Staff/Departments Involved:	
Administrator:	Activity Department:
Behavioral Health Champion:	Certified Nursing Assistant (CNA):
Director of Nursing:	Medical Director:
Mental Health Provider:	MDS Coordinator:
Pharmacist:	Social Services Director:
Social Worker:	Other:

Notes:

Step 1: Assess the Facility Characteristics and Needs

Mental Health Diagnosis Sources	What mental health diagnoses do you see in your current resident population?
Electronic Medical Record (EMR)	
 Hospital Transfer Records Minimum Data Set (MDS) Psychiatric Consult Notes Social Services Assessments 	Which validated mental health screenings are currently being conducted at intake or routinely conducted?
Percentage of Residents with a Mental Health Diagnosis	What diagnoses trends did you find among your current resident population and what is the percentage?
G	Number of residents with a mental health diagnosis
See Appendix A for common mental health diagnoses.	Percentage of population%
	*Number of Residents/Census x 100 = % of Population
Medication Sources • Electronic Medical Record (EMR) • Kardex	What antipsychotic medications are existing residents prescribed?
 Pharmacist Consultant Reports Physician Notes Specialist Notes 	What psychotropic medications are existing residents prescribed?
	What medication trends did you find among your current resident population and what is the percentage of the resident population?
Percentage of residents on a	Number of residents on an antipsychotic medication
medication to treat a mental health condition.	Percentage of population%
See Appendix D for common medications	*Number of Residents/Census x 100 = % of Population
to treat mental health conditions.	Number of residents on a psychotropic medication
	Percentage of population%
	*Number of Residents/Census x 100 = % of Population

Electronic Medical Record (EMR) Hospital Transfer Records Minimum Data Set (MDS) Physician Notes Specialist Notes Social Services Assessment SUD Screening Results	What substance use diagnoses did you find in your current resident population?
See Appendix B for common substance use diagnosis.	How many current residents have a history of substance use disorders without a diagnosis?
	How many current residents are on medication to treat a substance use disorder (including medications to treat Opioid Use Disorder (MOUD), Alcohol Use Disorder (MAUD), and/or Methadone)?
	Which validated substance use screenings are currently being conducted at intake or routinely conducted?
	Do you have Naloxone on site? If so, list the number of staff trained on Naloxone Administration per shift. Is it easily acceptable?
Percentage of residents on medication to treat a substance use disorder.	What substance use disorder trends did you find among your current resident population and what is the percentage of the resident population?
See Appendix E for common medications to treat mental health conditions.	Number of residents with a substance use disorder diagnosis Percentage of population% *Number of Residents/Census x 100 = % of Population Number of residents with a history of substance use, without a diagnosis Percentage of population% *Number of Residents/Census x 100 = % of Population
	•

 Trauma History Sources Minimum Data Set (MDS) Electronic Medical Record (EMR) Social Services Assessment Trauma Screening Results See Appendix C for types of trauma □	What trauma-related trends did you find in your current resident population and what is the percentage of the resident population? Number of residents with trauma history Percentage of population% *Number of Trauma/Census x 100 = % of Population
PASSR Level 2 Sources Hospital Transfer Records Minimum Data Set (MDS) State PASSR Database Facility Hardcopy Records Electronic Medical Record (EMR)	What Preadmission Screening and Resident Review (PASSR) trends did you find in your current resident population and what is the percentage of the resident population? Residents with PASSR Level 2 Percentage of population% *Number of PASSR Level 2/Census x 100 = % of Population
Mental Health/Substance Use Related Incidents • Accident/Incident Report Forms (past year)	What mental health or substance use-related incidents have happened in the last 12 months at your facility? Do you have behavioral health huddles? What trends did you find in the mental health and substance use incidents?
	Number of mental health related incidents within the last 12 Months Number of substance use related incidents within the last 12 Months

Do you conduct trauma screenings on all residents?

Step 2: Determine the Facility Behavioral Health Capacity

	What are your current mental health and substance use training
	requirements?
Staff Training Topics	
(This is not a comprehensive list of training topics.)	
Behavioral Health Equity Crisis Management	
CNA specific training	Which staff are required to complete the training?
De-Escalation StrategiesInterpersonal Communication	
Skills Culturally and Linguistically	
Appropriate Services Trauma Informed Care	
Post Traumatic Stress Disorder	
Person Centered CareScreening and assessment	What are your orientation/new hire onboarding training requirements?
 Non-pharmacological Interventions 	
Other	
Mental Health Specific	What are your ongoing/annual requirements?
Diagnoses specific trainings (i.e.,	
schizophrenia, bipolar disorder) • Mental Health Awareness	
Suicide Prevention Grief and Loss	
Other	
	What are the training requirements "agency staff" working at your facility?
Substance Use/Co-Occurring Disorders-Specific	racinty:
Diagnoses specific trainings (i.e.,	
opioid, alcohol use, cannabis)	
Substance Use AwarenessSigns and symptoms	
Overdose PreventionCo-Occurring Disorders	What are your identified gaps or barriers?
Medications to treat substance use disorders	
Naloxone (Narcan) Administration Other	
- OuiGi	
Trainings with Certifications offered by COE-NF	
CARES Serious Mental Illness	
Question, Persuade, Refer (QPR)-	Submit a training request to the COE-NF
Suicide Prevention Mental Health First Aid (MHFA)	
Verbal De-escalation: Crisis Prevention Intervention	

	Who currently assesses and prescribes mental health/substance use medications for residents?
	What is the frequency and format of these assessments (in-person or virtual)?
Psychiatry and Medication Management Psychiatrist Geriatric Psychiatrist Psychiatric Nurse Practitioner Telepsychiatry Attending Physician	What additional psychiatric support is needed?
	Are the practitioners representative of the resident population regarding race, ethnicity, and native language?
	What are your identified gaps or barriers?
Treatment Locator	To locate behavioral health treatment services, click the link. Substance Abuse and Mental Health Services Administration

Psychotherapy and Substance Use Treatment	Who currently provides psychotherapy (counseling) services for residents?
Psychotherapy Providers Psychologist Licensed Clinical Social Worker Licensed Professional Counselor Community Mental Health Centers PASSR Providers	Who currently provides substance use treatment services for residents?
 Grief Counselor Teletherapy Provider Group Therapist 	What is the frequency and format of these services (in-person or virtual)?

Substance Use Treatment Providers Buprenorphine Practitioners Certified Addiction Counselors Opioid Treatment Programs Opioid Treatment Programs Substance Use Treatment Programs (outpatient, inpatient,	What types of services are offered? Are the providers representative of the resident regarding race, ethnicity, and native language?
residential) Treatment Locator	What are your identified gaps or barriers? To locate behavioral health treatment services, click the link.
Treatment Locator	Substance Abuse and Mental Health Services Administration
Other Behavioral Health Supports • Recreational therapy	Do you offer any other behavioral health focused support for residents? What types of services are offered? What are your identified gaps or barriers?
 Specialized Care Specific Areas/Units Cohorted Populations Specialized Behavioral Health Consultant Full-time Behavioral health team member 	Do you have any specialized care areas or unique populations currently in your facility? What are your identified gaps or barriers?

Community Partners Providers Psychiatric ER/Hospital Community Mental Health Treatment or Crisis Center Community Substance Use Treatment Center Inpatient Mental Health or Substance Use Treatment Center Opioid Treatment Programs (Methadone Clinics) Mobile Crisis Units	Which community partners support the behavioral health needs of your current residents? What types of services are offered?
Recovery Support Groups (This is not a comprehensive list of recovery support groups, nor does being on this list indicate endorsement by the COE-NF.) • Alcoholic Anonymous • Narcotic Anonymous • Cocaine Anonymous • SMART Recovery • Psychosocial Clubhouses • Secular Organizations for Sobriety • Others Link to Support Groups Link to Virtual Support Groups	What are your identified gaps or barriers?

Step 3: Identify Gaps Between Needs and Capacity

Please rate your facility in the following areas.

Staff Training (Mental Health)	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Staff Training (Substance Use)	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Psychiatry and Medication Management	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Psychotherapy	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Substance Use Treatment Access	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				

Mental Health Treatment Access	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Other behavioral health supports	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Specialized Care	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				
Community Partners	Excellent	Good	Fair	Needs Improvement
Identified gaps or barriers:				

Step 4: Develop and Implement Your Plan

Use the Rapid Behavioral Health Plan-Do-Study-Act (PDSA) Worksheet @

- 1. Form the team; include members from different departments.
- 2. Complete a Root Cause Analysis (RCA).
- 3. Establish an aim statement and create SMART Goals (Specific, Measurable, Achievable, Realistic, and Time-bound).
- 4. Prioritize and establish what will be measured.
- 5. Select ideas for change that will result in improvement.
- 6. Test the change using a PDSA Cycle.
- 7. Implement the change after testing.
- 8. Spread the change to other parts of the facility. Include the change in the facility policy and required staff trainings.

Notes:

APPENDIX

Appendix A

Common Mental Health Diagnosis

Mood Disorders

- Bipolar I Disorder
- Bipolar II Disorder
- Cyclothymic Disorder
- Disruptive Mood Dysregulation Disorder
- Major Depressive Disorder/Episode
- Persistent Depressive Disorder (dysthymia)
- Premenstrual Dysphoric Disorder
- Substance/Medication-Induced Depressive Disorder
- Depressive disorder due to another medical condition
- Other specified depressive disorder
- Unspecified depressive disorder

Schizophrenia Spectrum and Other Psychotic Disorders

- Schizophrenia
- Schizophreniform Disorder
- Schizoaffective Disorder
- Delusional Disorder
- Brief Psychotic Disorder
- Psychotic Disorder Due to Another Medical Condition
- Substance/Medication-Induced Psychotic Disorder
- Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
- Other Specified Schizophrenia Spectrum and Other Psychotic Disorder

Anxiety Disorders

- Separation Anxiety Disorder
- Selective Mutism
- Specific Phobia

- Social Anxiety Disorder (Social Phobia)
- Panic Disorder
- Panic Attack Specifier
- Agoraphobia
- Generalized Anxiety Disorder
- Substance/Medication-Induced Anxiety Disorder
- Anxiety Disorder Due to Another Medical Condition
- Other Specified Anxiety Disorder
- Unspecified Anxiety Disorder

Obsessive-Compulsive and Related Disorders

- Obsessive-Compulsive Disorder (OCD)
- Body Dysmorphic Disorder
- Trichotillomania (hair-pulling disorder)
- Hoarding Disorder
- Excoriation Disorder (skin-picking)
- Other specified obsessive-compulsive and related disorders

Trauma and Stressor Related Disorders

- Post-Traumatic Stress Disorder (PTSD)
- Acute Stress Disorder (ASD)
- Adjustment Disorder
- Prolonged Grief Disorder
- Reactive Attachment Disorder (RAD) (diagnosed only in children)
- Disinhibited social engagement disorder (DSED) (diagnosed only in children)
- Other specified trauma/stressor-related disorder
- Unspecified trauma/stressor-related disorder

Appendix B

Common Substance Use Diagnosis

Substance Use Disorders

- Alcohol Intoxication
- Alcohol Use Disorder
- Opioid Intoxication
- Opioid Use DisorderOpioid Withdrawal
- Sedative/Hypnotic/Anxiolytic Use Disorder

- Cocaine Use Disorder
- Cannabis Use Disorder
- Inhalant Use Disorder
- Polysubstance Dependance
- Amphetamine Use Disorder
- Phencyclidine Use Disorder

Appendix C

Types of Trauma

Acute Trauma- Single Unexpected Event

- Crime or Accidents
- Witnessing a Crime, Accident, or Violence
- Intimate Partner Violence
- Life-Threatening Illness
- Serious Injury
- Physical Assault/Violence
- Sexual Assault/Violence
- Childbirth
- Natural Disaster or Environmental Event
- Suicide Attempt

Complex- Multiple chronic, or prolonged exposure to traumatizing events

- Domestic Violence
- Early Childhood Abuse or Neglect
- Physical Abuse

- Sexual Abuse
- Emotional Abuse
- War Related Experiences

Chronic Trauma- Ongoing or repeated traumatic experiences

- Verbal Abuse
- Physical Abuse
- Sexual Abuse
- Emotional Abuse
- Poverty
- Sex Trafficking
- Bullying
- Medical Systems Trauma
- Refugee Trauma
- Domestic Violence

Appendix D

Common Medications to Treat Mental Health Condition

Psychotropic Medications

Selective Serotonin Reuptake Inhibitors (SSRI)

- Citalopram (Celexa)
- Escitalopram (Lexapro)
- Fluoxetine (Prozac)
- Paroxetine (Paxil, Pexeva)
- Sertraline (Zoloft)

Serotonin and Norepinephrine Reuptake Inhibitors (SNRI)

- Desvenlafaxine (Pristiq)
- Duloxetine (Cymbalta)
- Levomilnacipran (Fetzima)
- Venlafaxine (Effexor XR)

Norepinephrine and Dopamine Reuptake Inhibitors (NDRI)

- Bupropion (Wellbutrin, Zyban, Alpezin)
- Dexmethylphenidate (Focalin)
- Methylphenidate (Concerta, Methylin, Metadate)

Tricyclic Antidepressant (TCAs)

- Amitriptyline (Elavil)
- Clomipramine (Anafranil)

- Doxepin (Sinequan)
- Imipramine (Tofranil)
- Desipramine (Norpramin)

Norepinephrine and Dopamine Reuptake Inhibitors (NDRI)

- Amitriptyline (Elavil)
- Clomipramine (Anafranil)
- Doxepin (Sinequan)
- Imipramine (Tofranil)
- Desipramine (Norpramin)

Benzodiazepines

- Clonazepam (Klonopin)
- Diazepam (Valium)
- Lorazepam (Ativan)
- Alprazolam (Xanax)
- Oxazepam (Serax)

Anticonvulsants

Pregabalin (Lyrica)

Azaperone

Buspirone (Buspar)

Antipsychotic Medications

First-generation (typical) Antipsychotic

- Chlorpromazine (Thorazine)
- Fluphenazine (Prolixin, Permitil)
- Haloperidol (Haldol)
- Loxapine (Adusuve, Loxitane)
- Molindone (Moban)
- Perphenazine (Trilafon)
- Pimozide (Orap)
- Prochlorperazine (Comprom, Compazine)
- Thiothixene (Navane)
- Thoridazine (Mellaril)
- Trifluoperazine (Stelazine)

Second-generation (atypical) Antipsychotic

- Aripiprazole (Abilify, Aristada)
- Asenapine (Secuado, Saphris)
- Brexpiprazole (Rexulti)
- Cariprazine (Vraylar)
- Clozapine (Clozaril, Versacloz).
- lloperidone (Fanapt)
- Lumateperone (Caplyta)
- Lurasidone (Latuda)
- Olanzapine (Zyprexa, Lybalvi, Symbyax)
- Quetiapine (Seroquel)
- Paliperidone (Invega)
- Pimavanserin (Nuplazid)
- Risperidone (Perseris, Risperdal)
- Ziprasidone (Geodon)

Appendix E

Common Medications for Substance Use Disorders

- Naltrexone (Vivitrol)
- Buprenorphine (Suboxone, Methadone)
- Disulfiram (Antabuse)
- Acamprosate (Campral)
- Modafinil (Provigil)
- Bupropion (Wellbutrin, Zyban)

- Gabapentin (Neurontin)
- Mirtazapine (Remero)
- Topiramate (Topamax)
- Baclofen (Lioresal)
- Vigabatrin (Sabril)

References:

Diagnostic And Statistical Manual Of Mental Disorders (5th Ed., Text Rev.). https://doi.org/10.1176/appi.books.9780890425787

National Child Trauma Stress Network. www.nctsn.org

Substance Abuse and Mental Health Services Administration Medications for Substance use Disorders. https://www.samhsa.gov/medications-substance-use-disorders

The American Psychiatric Publishing Textbook of Psychopharmacology, Fifth Edition

Disclaimer: Use of this assessment is not mandated by the Centers for Medicare and Medicaid Services, nor does it ensure regulatory compliance.

