

Understanding Post Traumatic Stress Disorder (PTSD): A Brief Overview

June 17, 2025

Host



Nikki Harris, MA, CBHC-BS

Training and Education Lead

Nikki serves as the training and education lead for the Center of Excellence for Behavioral Health in Nursing Facilities (COE-NF). For the past 20 years, Nikki has provided program implementation, development, management, external and internal trainings, policy development, quality assurance, and managed training coordination and technical support throughout the southeast region.

Previously, she served as the program manager for the Division of Behavioral Health and Substance Use Services within the South Carolina Department of Corrections.

She has a B.A. in psychology from the University of South Carolina, a M.A. in counseling from Webster University and is a certified behavioral specialist.



Presenter



Bryan G. Stephens, MA, MBA, CPCS, LPC CEO TalkForward

Bryan is a licensed professional counselor and the founder and CEO of TalkForward, which provides psychotherapy and executive consulting services. Bryan has practiced in behavioral health for the past 30 years.

With 20 years of executive management experience, Bryan served as a chief executive officer in a public behavioral health agency, with over 450 employees and an annual budget of \$27 million.

A specialist in clinical supervision, Bryan began training therapists in small and large groups, while serving as Ethics Chair for the Board of the Licensed Professional Counselors Association of Georgia (LPCA). He recently served as the President of LPCA which has over 8000 members.

Bryan has an Executive MBA from Kennesaw State University and both a master's and bachelor's degree in psychology.




Learning Objectives

- 1. Participants will understand what is Post Traumatic Stress Disorder (PTSD)
- 2. Participants will understand what are symptoms of PTSD
- 3. Participants will understand what are ways to support residents with PTSD



Post Traumatic Stress Disorder (PTSD) "Fight-or-Flight"



Anyone can develop Post Traumatic Stress Disorder (PTSD) **at any age** because of a triggering event or loss.



What is Post Traumatic Stress Disorder (PTSD)?



Post-traumatic stress disorder (PTSD) is a disorder that develops in some people who have experienced a shocking, scary, or dangerous event that violates a person's core sense of safety and integrity.



Events That Can Cause PTSD

While the common image of this is combat, it can be any event that meets these criteria:

- Combat
- Witnessing violence or the results of violence
- Pandemic/Covid
- Being in a traumatic event such as a car crash
- Suffering abuse as a child or an adult
- Witnessing the loss of a loved one
- Vicarious trauma from helping others with trauma



Recognizing PTSD

- Symptoms of PTSD usually begin within three (3) months of the traumatic event, **but they sometimes emerge later**.
- To meet the criteria for PTSD, a person must have symptoms for longer than one (1) month that are severe enough to interfere with aspects of daily life, such as relationships or work.
- Can only be diagnosed by a mental health professional.



Recognizing PTSD

Symptoms often begin within a few months of the event, but they can emerge much later.

These fall into categories of:

- Re-experiencing
- Avoidance
- Arousal
- Cognition


All of these symptoms can be triggered though apparently unconnected events!





Symptoms: Re-experiencing

Re-experiencing symptoms include things such as:



- Flashbacks of the event(s)
- Intrusive thoughts or memories
- Dreaming of the event(s)
- Physical sensations that match time incident(s)
- Triggered anxiety attacks or panic attacks (Arousal)



Symptoms: Avoidance

Avoidance includes:

- Staying away from events, places or objects that can be reminders
- Restriction of activities than can worsen over time

 Experiencing panic attacks makes restriction more likely
- Avoiding thoughts or feelings related to the traumatic event
- Change their routines to avoid triggers (i.e. riding in a car after car accident)



Symptoms: Arousal

Arousal symptoms include things like:

- Easily being startled
- Hypervigilance
- Agitation
- Short temper
- Loss of sleep
- Poor concentration
- Anxiety attacks and panic attacks





Symptoms: Cognition

Cognition symptoms can range from:

- Gaps in memory of the event
- Loss in sense of safety
- Increased blame on self or others
- Depression
- Losing interest in enjoyable activities
- Feelings of social isolation
- Detachment from friends and family members
- Suicidal Ideation





Triggers of PTSD Episodes



MIND TRIGGER

The triggers for each person are based on his or her experience:

- People who have been in combat, loud noises can be that trigger
- Riding in a car may be the trigger for someone who has had a car accident
 - A survivor of sexual abuse may be triggered with proximity of certain touches even if not sexual in nature
 - A song or show
 - Shouting or raised voices



Caring for Residents with PTSD

Observe residents and watch for repeated responses around a certain behavior, activity, and/or person. This can be a clue that an assessment for trauma and PTSD is in order.

What is critical to remember is that **any event**, even if it does not seem traumatic to others, can be a source of PTSD.

What is important is how the individual experienced the event and how that is playing out now.



What Can You Do?

- Assess residents at intake for trauma (early intervention).
- Refer for assessment and treatment
- Be kind and supportive. Caring for someone with PTSD requires patience, understanding, and grace.
- Know the resident
 - Learn their triggers
 - Understand the individual's personal responses to triggers
- Reassure the resident that he or she is safe
- Help with positive distractions, such as walks, outings, and other activities



Treatment of PTSD



A mental health professional who has experience helping people with PTSD, such as a psychiatrist, psychologist, or clinical social worker, can determine whether symptoms meet the criteria for PTSD.



Non-pharmacological Interventions

Non-pharmacological interventions can be used to improve the resident's activities of daily living.

Psychosocial Interventions:

- Social skills training
- Coping skills
- Coaching (problem & symptom focused interventions)
- Talk therapy (EMDR, Cognitive Therapy, Trauma Focused Therapy)*<u>Utilize Community Behavioral Health Providers.</u>



What You Can Do Today

Educate

- Train your assessment team on proper PTSD criteria (physicians, nurses, social workers)
- Train staff at all levels on the signs, symptoms and supportive responses when working with residents with a PTSD diagnosis.

Psychiatric care

• Ensure that residents with a diagnosis of PTSD get the appropriate level of counseling and psychiatric care in your facility.

Interdisciplinary Team

• Ensure that resident's treatment and symptoms are communicated with staff at all levels.



What You Can Do Today (cont.)

Assess the stimuli in the nursing facility environment

• Create calming areas within the facility if possible.

Planning activities

Work with residents with a PTSD Diagnosis

 Assess individual needs
 Support slow, safe, and secure community integration






Questions?



COE-NF Resources



A person with PTSD experiences intense fear and other symptoms during and long after the traumatic event has ended. Symptoms may start immediately after the event or, in some cases, months or even years later. Symptoms of PTSD can vary but generally fall into the following categories:



Supporting Residents with PTSD

Once a PTSD diagnosis is confirmed by a qualified clinician, collaborate with the resident and their family to provide education about the disorder, identify strategies to manage their symptoms, include the strategies in the care plan and communicate them to the team. Facility staff should connect the resident to appropriate mental health treatment services and community resources. High-quality, free apps, such as <u>PTSD Coach</u>, may also be helpful.

For additional information and resources, visit www.nursinghomebehavioralhealth.org



Substance Abuse and Mental Health Services Administration: Post-Traumatic Stress Disorder American Psychiatric Association, What is Post traumatic Stress Disorder

This material was prepared by The Center of Excellence for Behavioral Health in Nursing Facilities (COE-NF). This work is made possible by grant number HT/92M08/155 from the Substance Abuse and Mental Health Services Administration (SAMHSA). Its contents are solely the responsibility of the autions and do not necessarily prepared in the official were of the SAMHSA.



Scan the QR code or visit the link below to view this resource.



https://bit.ly/UnderstandingPTSD_COENF



Connect with Us!





Subscribe to receive text messages from COE-NF! Scan the QR code or visit <u>https://bit.ly/COETextList</u> to stay up-to-date on COE-NF services and news.

Text Messaging Platform

Enables nursing facility staff to receive COE-NF updates on their smartphone

Contact us:

For more information or to request assistance, we can be reached by phone at **1-844-314-1433** or by email at <u>coeinfo@allianthealth.org</u>.

Visit the website:

nursinghomebehavioralhealth.org



Connect with COE-NF

Monthly Newsletter

- Shares behavioral health resources
- Provides nursing facility behavioral health regulatory updates
- Announces upcoming training opportunities

Social Media Profiles

- LinkedIn: <u>www.linkedin.com/company/nursinghomebh/</u>
- Twitter: twitter.com/NursingHomeBH
- Facebook: <u>www.facebook.com/NursingHomeBH</u>
- YouTube: www.youtube.com/channel/UCgnRi9EFB9rXApnlUwS09sw

Text Messaging Platform

• Enables nursing facility staff to receive COE-NF updates on their smartphone



Scan QR code to sign up for the COE-NF newsletter.



Thank you!





This material was created by the Center of Excellence for Behavioral Health in Nursing Facilities. This work is made possible by grant number 1H79SM087155 from the Substance Abuse and Mental Health Services Administration (SAMHSA). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Substance Abuse and Mental Health Services Administration.